



STIGs Detail - August 2014

Check ID	Title	Rule ID	Vuln ID	Severity	Class	Platforms
NET0812	Two NTP servers are not used to synchronize time.	SV-41498r1_rule	V-23747	CAT III	Unclass	Juniper JunOS
NET0900	SNMP traffic does not use loopback address.	SV-15347r2_rule	V-14675	CAT III	Unclass	Juniper JunOS
NET1675	SNMP privileged and non-privileged access.	SV-3043r2_rule	V-3043	CAT II	Unclass	Cisco IOS
NET0422	Key expiration exceeds 180 days.	SV-15301r2_rule	V-14667	CAT III	Unclass	Cisco IOS
NET0396	Alerts must remain until acknowledged.	SV-15281r1_rule	V-14655	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1647	The network element must not allow SSH Version 1.	SV-15459r2_rule	V-14717	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0812	Two NTP servers are not used to synchronize time.	SV-41497r1_rule	V-23747	CAT III	Unclass	Cisco IOS
NET1646	SSH login attempts value is greater than 3.	SV-15458r2_rule	V-5613	CAT II	Unclass	Cisco IOS
NET0405	Call home service is disabled.	SV-38003r2_rule	V-28784	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1639	Management connection does not timeout.	SV-15453r2_rule	V-3014	CAT II	Unclass	Cisco IOS
NET0965	Devices not configured to filter and drop half-open connections	SV-15437r4_rule	V-5646	CAT II	Unclass	Juniper JunOS
NET1640	Management connections must be logged.	SV-3070r2_rule	V-3070	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0410	BGP sessions are not restricted.	SV-15299r1_rule	V-3035	CAT II	Unclass	Juniper JunOS
NET0440	More than one emergency account is defiend.	SV-30085r3_rule	V-3966	CAT II	Unclass	Juniper JunOS
NET0340	Login banner is non-existent or not DOD approved	SV-3013r2_rule	V-3013	CAT II	Unclass	Juniper JunOS
NET1629	The auxiliary port is not disabled.	SV-7365r2_rule	V-7011	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6	IPV6 Loopback ADDR is not blocked by the enclave	SV-15402r1_rule	V-14695	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET-SRVFR	ACLs must restrict access to server VLANs.	SV-20061r2_rule	V-18522	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1623	Authentication required for console access.	SV-28747r3_rule	V-4582	CAT I	Unclass	Juniper JunOS
NET0726	Identification support is enabled.	SV-5616r2_rule	V-5616	CAT III	Unclass	Cisco IOS
NET0340	Login banner is non-existent or not DOD approved.	SV-3013r2_rule	V-3013	CAT II	Unclass	Cisco IOS
NET1640	Management connections must be logged.	SV-15455r2_rule	V-3070	CAT III	Unclass	Cisco IOS
NET0390	The IDS or FW is not configured to alarm the admin	SV-3176r1_rule	V-3176	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0405	Call home service is disabled.	SV-38003r2_rule	V-28784	CAT II	Unclass	Cisco IOS
NET0391	FA is not informed of critical alerts.	SV-15274r1_rule	V-14648	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0400	Interior routing protocols are not authenticated.	SV-15291r2_rule	V-3034	CAT II	Unclass	Juniper JunOS
NET-MCAS	PIM neighbor filter is not configured	SV-40315r1_rule	V-30578	CAT II	Unclass	Cisco IOS
NET0440	More than one emergency account is defined.	SV-15469r3_rule	V-3966	CAT II	Unclass	Cisco IOS
NET0600	Passwords are viewable when displaying the config.	SV-41449r2_rule	V-3062	CAT I	Unclass	Cisco IOS
NET1970	PAT is vulnerable to DNS cache poisoning	SV-30841r1_rule	V-25037	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0927	RFC1918 addresses are not blocked	SV-15394r2_rule	V-14692	CAT I	Unclass	Juniper JunOS
NET0927	RFC 1918 addresses are not blocked	SV-15393r2_rule	V-14692	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET0740	HTTP server is not disabled	SV-41468r1_rule	V-3085	CAT II	Unclass	Juniper JunOS
NET0230	Network element is not password protected.	SV-3012r2_rule	V-3012	CAT I	Unclass	Cisco IOS
NET0966	Control plane protection is not enabled.	SV-21168r2_rule	V-19188	CAT II	Unclass	Juniper JunOS
NET0230	Network element is not password protected	SV-3012r2_rule	V-3012	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0400	Interior routing protocols are not authenticated.	SV-15290r2_rule	V-3034	CAT II	Unclass	Cisco IOS
NET1629	The auxiliary port is not disabled.	SV-15446r2_rule	V-7011	CAT III	Unclass	Cisco IOS
NET0398	FW acknowledge messages must be recorded	SV-15282r1_rule	V-14656	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0580	Password required on the JUNOS diagnostic port.	SV-4583r1_rule	V-4583	CAT III	Unclass	Juniper JunOS
NET1624	The console port does not timeout after 10 minutes.	SV-3967r2_rule	V-3967	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0992	The management interface does not have an ACL.	SV-20208r1_rule	V-17822	CAT II	Unclass	Cisco IOS
NET0375	Firewall is not configured to protect the network.	SV-3156r1_rule	V-3156	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1020	Interface ACL deny statements are not logged.	SV-15475r3_rule	V-3000	CAT III	Unclass	Juniper JunOS

NET-TUNL-	Teredo is not blocked by filtering UDP port 3544	SV-16075r4_rule	V-15294	CAT I	Unclass	Juniper JunOS
NET0377	Firewall has unnecessary services enabled.	SV-3054r1_rule	V-3054	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0410	BGP sessions are not restricted.	SV-15298r1_rule	V-3035	CAT II	Unclass	Cisco IOS
NET0950	uRPF strict mode or ACL not enabled on egress interface.	SV-15423r2_rule	V-3164	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET0965	Devices not configured to filter and drop half-open connections.	SV-5646r4_rule	V-5646	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0730	The finger service is not disabled.	SV-15306r2_rule	V-3079	CAT III	Unclass	Juniper JunOS
NET0425	An Infinite Lifetime key has not been implemented	SV-7363r1_rule	V-7009	CAT I	Unclass	Cisco IOS
NET0433	The device is not authenticated using a AAA server.	SV-16259r2_rule	V-15432	CAT II	Unclass	Cisco IOS
NET1639	Management connection does not timeout.	SV-32758r2_rule	V-3014	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0813	NTP messages are not authenticated.	SV-41501r1_rule	V-14671	CAT II	Unclass	Juniper JunOS
NET0901	Netflow traffic is not using loopback address.	SV-15349r2_rule	V-14676	CAT III	Unclass	Cisco IOS
NET0728	DHCP service is not disable on premise	SV-5617r1_rule	V-5617	CAT III	Unclass	Cisco IOS
NET0781	Gratuitous ARP must be disabled.	SV-5618r2_rule	V-5618	CAT II	Unclass	Cisco IOS
NET0433	The device is not authenticated using a AAA server.	SV-16259r2_rule	V-15432	CAT II	Unclass	Juniper JunOS
NET0924	IPv4 Link-local address is not blocked	SV-15388r2_rule	V-14690	CAT I	Unclass	Juniper JunOS
NET0923	IPv4 Loopback address is not blocked	SV-15385r2_rule	V-14689	CAT I	Unclass	Juniper JunOS
NET1646	SSH login attempts value is greater than 3.	SV-5613r2_rule	V-5613	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6-(IPv6 Unspecified ADDR is not blocked	SV-15406r1_rule	V-14696	CAT I	Unclass	Juniper JunOS
NET0902	FTP/TFTP traffic does not use loopback address.	SV-15353r3_rule	V-14677	CAT III	Unclass	Juniper JunOS
NET0950	uRPF strict mode or ACL not enabled on egress interface.	SV-15424r2_rule	V-3164	CAT I	Unclass	Juniper JunOS
NET0722	The PAD service is enabled.	SV-5614r2_rule	V-5614	CAT III	Unclass	Cisco IOS
NET0740	HTTP server is not disabled	SV-41470r1_rule	V-3085	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-SRVFR	ACLs do not protect against compromised servers	SV-20062r1_rule	V-18523	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0740	HTTP server is not disabled.	SV-41467r1	V-3085	CAT II	Unclass	Cisco IOS
NET1647	The network element ust not allow SSH Version 1.	SV-15460r2_rule	V-14717	CAT II	Unclass	Cisco IOS
NET-NAC-C	Switchport does not shutdown on a violation	SV-20109r1_rule	V-18565	CAT III	Unclass	Cisco IOS
NET1665	Using default SNMP community names.	SV-3210r2_rule	V-3210	CAT I	Unclass	Juniper JunOS
NET-IPV6-(IPv6 Site Local Unicast Addresses are not blocked	SV-15400r1_rule	V-14694	CAT I	Unclass	Juniper JunOS
NET-IPV6-(IPv6 Jumbo payload hop by hop is not dropped	SV-20551r1_rule	V-18815	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1638	Management connections must be secured by FIPS 140-2.	SV-15451r3_rule	V-3069	CAT II	Unclass	Cisco IOS
NET1624	The console port does not timeout after 10 minutes.	SV-15444r2_rule	V-3967	CAT II	Unclass	Cisco IOS
NET0813	NTP messages are not authenticated.	SV-41500r1_rule	V-14671	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0422	NET0422 - Key expiration exceeds 180 days.	SV-15301r2_rule	V-14667	CAT III	Unclass	Juniper JunOS
NET0897	Authentication traffic does not use loopback address	SV-16092r2_rule	V-14672	CAT III	Unclass	Juniper JunOS
NET-IPV6-(IPv6 routers are not configured with CEF enabled	SV-15425r1_rule	V-14705	CAT II	Unclass	Cisco IOS
NET0812	Two NTP servers are not used to synchronize time.	SV-41499r1_rule	V-23747	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0770	IP Source Routing is not disabled on all routers.	SV-15316r2_rule	V-3081	CAT II	Unclass	Cisco IOS
NET0742	FTP server is not disabled	SV-15312r1_rule	V-14668	CAT II	Unclass	Juniper JunOS
NET1636	Management connections must require passwords.	SV-3175r3_rule	V-3175	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1660	An insecure version of SNMP is being used.	SV-3196r2_rule	V-3196	CAT I	Unclass	Juniper JunOS
NET1639	Management connection does not timeout.	SV-15454r2_rule	V-3014	CAT II	Unclass	Juniper JunOS
NET0820	DNS servers must be defined for client resolver.	SV-41503r1_rule	V-3020	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1647	The network element must not allow SSH Version 1.	SV-15461r2_rule	V-14717	CAT II	Unclass	Juniper JunOS
NET-IPV6-(IPv6 Site Local Unicast Addresses are not blocked	SV-15399r1_rule	V-14694	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET1646	SSH login attempts value is greater than 3.	SV-28745r2_rule	V-5613	CAT II	Unclass	Juniper JunOS
NET0966	Control plane protection is not enabled.	SV-21167r2_rule	V-19188	CAT II	Unclass	Cisco IOS
NET0897	Authentication traffic does not use loopback address.	SV-16091r2_rule	V-14672	CAT III	Unclass	Cisco IOS
NET-NAC-C	NET-NAC-009	SV-42190r2_rule	V-5626	CAT I	Unclass	Cisco IOS
NET0720	TCP and UDP small server services are not disabled.	SV-3078r2_rule	V-3078	CAT III	Unclass	Cisco IOS
NET1675	SNMP privileged and non-privileged access.	SV-3043r2_rule	V-3043	CAT II	Unclass	Juniper JunOS

NET1660	An insecure version of SNMP is being used.	SV-3196r2_rule	V-3196	CAT I	Unclass	Cisco IOS
NET1021	The network element must log all messages except debugging.	SV-4584r2_rule	V-4584	CAT III	Unclass	Cisco IOS
NET0923	IPv4 Loopback address is not blocked	SV-15384r2_rule	V-14689	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET-VLAN-	The VLAN1 is being used for management traffic.	SV-5628r1_rule	V-5628	CAT II	Unclass	Cisco IOS
NET0441	Emergency account privilege level is not set.	SV-16261r2_rule	V-15434	CAT I	Unclass	Juniper JunOS
NET-TUNL-	Teredo is not blocked by filtering UDP port 3544	SV-16075r4_rule	V-15294	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET0190	LAN addresses are not protected from the public.	SV-3005r1_rule	V-3005	CAT III	Unclass	Cisco IOS
NET-IPV6-	Maximum hop limit is less than 32	SV-40390r1_rule	V-30617	CAT III	Unclass	Juniper JunOS
NET0408	BGP must authenticate all peers.	SV-41555r2_rule	V-31285	CAT II	Unclass	Cisco IOS
NET0899	NTP traffic is not using loopback address.	SV-15344r2_rule	V-14674	CAT III	Unclass	Juniper JunOS
NET0894	Network element must only allow SNMP read access.	SV-30087r3_rule	V-3969	CAT II	Unclass	Juniper JunOS
NET1645	SSH session timeout is not 60 seconds or less.	SV-15457r2_rule	V-5612	CAT II	Unclass	Cisco IOS
NET0902	FTP/TFTP traffic does not use loopback address.	SV-15352r3_rule	V-14677	CAT III	Unclass	Cisco IOS
NET0744	BSDr commands are not disabled.	SV-15315r2_rule	V-14669	CAT II	Unclass	Juniper JunOS
NET0380	Firewall must block loopback address.	SV-15270r1_rule	V-14644	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0388	No FW log dump procedures	SV-15273r1_rule	V-14647	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0900	SNMP traffic does not use loopback address.	SV-15346r2_rule	V-14675	CAT III	Unclass	Cisco IOS
NET0760	Configuration auto-loading must be disabled	SV-3080r2_rule	V-3080	CAT II	Unclass	Cisco IOS
NET0724	TCP Keep-Alives must be enabled.	SV-5615r2_rule	V-5615	CAT III	Unclass	Cisco IOS
NET-IPV6-	IPv4 Interfaces in NAT-PT receive IPv6	SV-16079r1_rule	V-15296	CAT II	Unclass	Cisco IOS
NET0190	LAN addresses are not protected from the public.	SV-3005r1_rule	V-3005	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6-	IPv6 Site Local Unicast ADDR must not be defined	SV-15397r1_rule	V-14693	CAT II	Unclass	Cisco IOS
NET0750	The Bootp service is not disabled.	SV-3086r2_rule	V-3086	CAT III	Unclass	Cisco IOS
NET0412	Unique keys are not used for eBGP authentication	SV-15300r1_rule	V-14666	CAT II	Unclass	Juniper JunOS
NET1623	Authentication required for console access.	SV-4582r3_rule	V-4582	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1800	IPSec VPN is not configured as a tunnel type VPN.	SV-3008r1_rule	V-3008	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1638	Management connections must be secured by FIPS 140-2.	SV-3069r3_rule	V-3069	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0899	NTP traffic is not using loopback address.	SV-15343r2_rule	V-14674	CAT III	Unclass	Cisco IOS
NET-TUNL-	L2TPv3 sessions are not authenticated	SV-40556r1_rule	V-30744	CAT II	Unclass	Cisco IOS
NET0898	Syslog traffic is not using loopback address.	SV-15340r2_rule	V-14673	CAT III	Unclass	Cisco IOS
NET-MCAS	Invalid group used for source specific multicast	SV-40327r1_rule	V-30585	CAT III	Unclass	Juniper JunOS
NET-IPV6-	IPv6 6-to-4 addresses are not filtered	SV-20160r1_rule	V-18608	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-MCAS	Invalid group used for source specific multicast	SV-40326r1_rule	V-30585	CAT III	Unclass	Cisco IOS
NET1020	Interface ACL deny statements are not logged.	SV-50941r1_rule	V-3000	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-NAC-C	Re-authentication must occur every 60 minutes.	SV-5624r1_rule	V-5624	CAT II	Unclass	Cisco IOS
NET1288	Firewall log must be accurate	SV-32503r1_rule	V-25890	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1636	Management connections must require passwords.	SV-15448r3_rule	V-3175	CAT I	Unclass	Cisco IOS
NET-NAC-C	DPMS Target Layer 3 Switch	SV-49133r1_rule	V-18566	CAT II	Unclass	Cisco IOS
NET-VLAN-	VLAN 1 is being used as a user VLAN.	SV-3971r1_rule	V-3971	CAT II	Unclass	Cisco IOS
NET0924	IPv4 Link-local address is not blocked	SV-15387r2_rule	V-14690	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET1289	FW event records do not include required fields	SV-32504r1_rule	V-25891	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1623	Authentication required for console access.	SV-19270r3_rule	V-4582	CAT I	Unclass	Cisco IOS
NET0441	Emergency account privilege level is not set.	SV-16261r2_rule	V-15434	CAT I	Unclass	Cisco IOS
NET0230	Network element is not password protected.	SV-3012r2_rule	V-3012	CAT I	Unclass	Juniper JunOS
NET1300	Firewall Admin will be logged.	SV-3178r1_rule	V-3178	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0412	Unique keys are not used for eBGP authentication	SV-15300r1_rule	V-14666	CAT II	Unclass	Cisco IOS
NET-VLAN-	VLAN 1 traffic traverses across unnecessary trunk	SV-3972r1_rule	V-3972	CAT III	Unclass	Cisco IOS
NET-VLAN-	A dedicated VLAN is required for all trunk ports.	SV-5622r1_rule	V-5622	CAT II	Unclass	Cisco IOS
NET-VLAN-	Access switchports are assigned to the native VLAN	SV-3984r1_rule	V-3984	CAT II	Unclass	Cisco IOS
NET1665	Using default SNMP community names.	SV-3210r2_rule	V-3210	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]

NET-IPV6-(The 6-to-4 router is not filtering protocol 41	SV-40454r1_rule	V-30660	CAT II	Unclass	Cisco IOS
NET0910 Perimeter is not compliant with DOD Instr. 8551.1	SV-5731r1_rule	V-5731	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0898 Syslog traffic is not using loopback address	SV-15341r2_rule	V-14673	CAT III	Unclass	Juniper JunOS
NET0901 Netflow traffic is not using loopback address.	SV-15350r2_rule	V-14676	CAT III	Unclass	Juniper JunOS
NET0386 Alerts generated at 75% log storage capacity.	SV-15272r2_rule	V-14646	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6-(Maximum hop limit is less than 32	SV-40389r1_rule	V-30617	CAT III	Unclass	Cisco IOS
NET1021 The network element must log all messages except debugging	SV-15477r2_rule	V-4584	CAT III	Unclass	Juniper JunOS
NET0340 Login banner is non-existent or not DOD approved	SV-3013r2_rule	V-3013	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6-(IPv4 Interfaces in NAT-PT receive IPv6	SV-16078r1_rule	V-15296	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-TUNL- L2TP is terminated in the private network.	SV-3982r2_rule	V-3982	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0366 Firewall inspection is not performed adequately	SV-15269r1_rule	V-14643	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET-IPV6-(IPv6 Site Local Unicast ADDR must not be defined	SV-15397r1_rule	V-14693	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0392 FW alert not written to remote console.	SV-15275r1_rule	V-14649	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1645 SSH session timeout is not 60 seconds or less.	SV-28744r2_rule	V-5612	CAT II	Unclass	Juniper JunOS
NET-IPV6-(IPv6 Loopback ADDR is not blocked by the enclave	SV-15403r1_rule	V-14695	CAT I	Unclass	Juniper JunOS
NET-TUNL- Teredo is not blocked by filtering UDP port 3544	SV-16075r4_rule	V-15294	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0240 Devices exist with standard default passwords	SV-3143r2_rule	V-3143	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1636 Management connections must require passwords.	SV-28748r3_rule	V-3175	CAT I	Unclass	Juniper JunOS
NET0903 Loopback address is not used as the iBGP source IP.	SV-15360r2_rule	V-14681	CAT III	Unclass	Juniper JunOS
NET0820 DNS servers must be defined for the client resolver.	SV-15331r2_rule	V-3020	CAT III	Unclass	Juniper JunOS
NET1970 PAT is vulnerable to DNS cache poisoning	SV-30843r1_rule	V-25037	CAT I	Unclass	Juniper JunOS
NET0790 IP directed broadcast is not disabled.	SV-3083r2_rule	V-3083	CAT III	Unclass	Cisco IOS
NET0949 Cisco Express Forwarding (CEF) not enabled on supported devices.	SV-5645r3_rule	V-5645	CAT II	Unclass	Cisco IOS
NET0813 NTP messages are not authenticated.	SV-15327r2_rule	V-14671	CAT II	Unclass	Cisco IOS
NET0965 Devices not configured to filter and drop half-open connections.	SV-15435r3_rule	V-5646	CAT II	Unclass	Cisco IOS
NET1020 Interface ACL deny statements are not logged.	SV-15474r3_rule	V-3000	CAT III	Unclass	Cisco IOS
NET0408 BGP must authenticate all peers.	SV-41556r2_rule	V-31285	CAT II	Unclass	Juniper JunOS
NET0820 DNS servers must be defined for client resolver.	SV-15330r2_rule	V-3020	CAT III	Unclass	Cisco IOS
NET0894 Network element must only allow SNMP read access.	SV-30086r3_rule	V-3969	CAT II	Unclass	Cisco IOS
NET0441 Emergency account privilege level is not set.	SV-16261r2_rule	V-15434	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0395 Audit record must display violation	SV-15279r1_rule	V-14653	CAT III	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1660 An insecure version of SNMP is being used.	SV-3196r2_rule	V-3196	CAT I	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET0903 Loopback address is not used as the iBGP source IP.	SV-15359r2_rule	V-14681	CAT III	Unclass	Cisco IOS
NET0240 Devices exist with standard default passwords.	SV-3143r2_rule	V-3143	CAT I	Unclass	Juniper JunOS
NET0744 BSDr commands are not disabled.	SV-15314r2_rule	V-14669	CAT II	Unclass	Cisco IOS
NET0440 More than one emergency account is defined.	SV-15469r3_rule	V-3966	CAT II	Unclass	[Cisco PIX v7/8 - ASA v8 - FWSM v3/4, Cisco IOS, Cisco FWSM v2, Cisco PIX v6]
NET1665 Using default SNMP community names.	SV-3210r2_rule	V-3210	CAT I	Unclass	Cisco IOS
NET1624 The console port does not timeout after 10 minutes.	SV-15445r2_rule	V-3967	CAT II	Unclass	Juniper JunOS
NET-IPV6-(IPv6 Unspecified ADDR is not blocked	SV-15405r1_rule	V-14696	CAT I	Unclass	[Cisco IOS, Cisco NX-OS]
NET1800 IPSec VPN is not configured as a tunnel type VPN.	SV-3008r1_rule	V-3008	CAT II	Unclass	Cisco IOS
NET1800 IPSec VPN is not configured as a tunnel type VPN.	SV-3008r1_rule	V-3008	CAT II	Unclass	Juniper JunOS